



## CEILING CLOUD 19952-19956



### CONTENTS

1 x Ceiling Cloud

Please note: Fixtures are not included – these depend on the construction of your ceiling

### BEFORE USE

1. Remove all the packaging.
2. Choose an appropriate location to install the Ceiling Cloud, bearing in mind the following points:
  - Its weight – see specification
  - You should not be covering or blocking air-vents, lights which become warm with use, sources of heat, fire-escapes etc
  - The product is intended for decorative purposes – clients should not be able to pull on it
  - Consider how often you will wish to take it down for washing
  - The fabric is flat – should you choose to gather it as shown above, allow extra fabric for this – multiple clouds may be necessary.
3. Locate the eyelets around the reinforced rim. The internal diameter of these is 15mm. Use these and your appropriate fixings (e.g. hooks) to ceiling mount the Ceiling Cloud.



4. Do not stretch the Ceiling cloud or place it under strain so as to avoid damaging the fabric.
5. A Cosmic Effect Net 16217 (not included) may be installed above the Ceiling Cloud.



Please refer to the photographs below for suggestions as to how multiple ceiling clouds might be installed. The billows can be replicated by using multiple clouds and hooks or by using fishing wire to create lines that the cloud fabric rests on. Make sure all fixtures are out of reach. Installation will depend upon the size of the area to be covered; any obstacles to be avoided and the frequency you will wish to remove the cloud for washing.







## **SAFETY**

1. Make sure this product is safely and appropriately installed.

## **CARE AND MAINTENANCE**

1. Machine wash at 60°C with a mild detergent. Washing will not damage the fire-retardant properties of this product.
2. Allow to air dry naturally.

## **SPECIFICATION**

100% white polyester

Fire-retardant

Size/Weight:

19952	3m diameter / 2.5kg
19953	4m diameter / 3kg
19954	5m diameter / 4kg
19955	6m diameter / 5kg

Eyelets: 15mm (internal diameter); approx 1 1/2m apart on reinforced rim

Further copies of these instructions can be downloaded at [www.rompa.com](http://www.rompa.com)

We hope you find our instructions invaluable. If you have any suggestions for improving them further your comments will be greatly received – please contact us at [producthelp@rompa.com](mailto:producthelp@rompa.com)