

## Snoezelen Reference List

Anderson, K., Bird, M., Macpherson, S., McDonough, V., & Davis, T. (2011). Findings from a Pilot Investigation of the **Effectiveness of a Snoezelen Room in Residential Care: Should We Be Engaging with Our Residents More?** *Geriatr.Nurs..*

Anstee, H. (1999). **Physiotherapy in a multi-sensory environment.** *British Journal of Therapy and Rehabilitation, 6*, 38-41.

Baillon, S., Van Diepen, E., Prettyman, R., Redman, J., Rooke, N., & Campbell, R. (2004). **A comparison of the effects of Snoezelen and reminiscence therapy on the agitated behaviour of patients with dementia.** *Int.J.Geriatr.Psychiatry, 19*, 1047-1052.

Baker, R. & Dowling, Z. (1995). *INTERACT.* Bournemouth, UK: Dorset Healthcare Trust.

Baker, R., Dowling, Z., Wareing, L.-A., Dawson, J., & Assey, J. (1997). **Snoezelen: its long-term and short-term effects on older people with dementia.** *British Journal of Occupational Therapy 60*, 213-218.

Baker, R., Bell, S., Baker, E., Gibson, S., Holloway, J., Pearce, R. et al. (2001). **Randomised controlled trial of the effects of multi-sensory stimulation (MSS) for people with dementia.** *British Journal of Clinical Psychology 40*, 81-96. 12-5-2003.

Baker, R., Holloway, J., Holtkamp, C. C., Larsson, A., Hartman, L. C., Pearce, R. et al. (2003). **Effects of multi-sensory stimulation for people with dementia.** *Journal of Advanced Nursing* 43[5], 465-477.

Ball, J. & Haight, B. K. (2005). **Creating a multisensory environment for dementia: the goals of a Snoezelen room.** *J.Gerontol.Nurs.*, 31, 4-10.

Baum, C. M. (1995). **The contribution of occupation to function in persons with Alzheimer's disease.** *Journal of Occupational Science: Australia*, 2, 59-67.

Berg, A., Sadowski, K., Beyrodt, M., Hanns, S., Zimmermann, M., Langer, G. et al. (2010). **Snoezelen, structured reminiscence therapy and 10-minutes activation in long term care residents with dementia (WISDE): study protocol of a cluster randomized controlled trial.** *BMC.Geriatr.*, 10, 5.

Bower H (1967). **Sensory stimulation and the treatment of senile dementia.** *The Medical Journal of Australia*, 22, 1113-1119.

Burns, I., Cox, H., & Plant, H. (2000). **Leisure or therapeutics? Snoezelen and the care of older persons with dementia.** *Int.J.Nurs.Pract.*, 6, 118-126.

Chitsey, A. M., Haight, B. K., & Jones, M. M. (2002). **Snoezelen: a multisensory environmental intervention.** *J.Gerontol.Nurs.*, 28, 41-49.

Chung, J. C., Lai, C. K., Chung, P. M., & French, H. P. (2002). **Snoezelen for dementia.** *Cochrane Database Syst. Rev.*, CD003152.

Cleland CG & Clark C (1966). **Sensory deprivation and aberrant behaviour among idiots.** *American Journal of Mental Deficiency*, 71, 213-225.

Collier, L., McPherson, K., Ellis-Hill, C., Staal, J., & Bucks, R. (2010). **Multisensory stimulation to improve functional performance in moderate to severe dementia--interim results.** *Am.J.Alzheimers.Dis.Other Demen.*, 25, 698-703.

Cornell, A. (2004). **Evaluating the effectiveness of Snoezelen on women who have a dementing illness.** *Int.J.Psychiatr.Nurs.Res.*, 9, 1045-1062.

Cox, H., Burns, I., & Savage, S. (2004). **Multisensory environments for leisure: promoting well-being in nursing home residents with dementia.** *J.Gerontol.Nurs.*, 30, 37-45.

Cuovo, A. J., May, M. E., & Post, T. M. (2001). **Effects of living room, Snoezelen room, and outdoor activities on stereotypic behaviour and engagement by adults with profound mental retardation.** *Res.Dev.Disabil.*, 22, 183-204.

Etchepareborda, M. C., Abad, M. L., & Pina, M. J. (2003). [Multisensory stimulation]. *Rev.Neurol.*, 36 Suppl 1, S122-S128.

Fava, L. & Strauss, K. (2010). Multi-sensory rooms: comparing effects of the Snoezelen and the Stimulus Preference environment on the behavior of adults with profound mental retardation. *Res.Dev.Disabil.*, 31, 160-171.

Finnema, E., Droles, R. M., Ribbe, M., & Van Tilburg, W. (2000). The effects of emotion-oriented approaches in the care for persons suffering from dementia: a review of the literature. *Int.J.Geriatr.Psychiatry*, 15, 141-161.

Gover E & Mesibov GB (1978). An interest center sensory stimulation program for severely and profoundly retarded children. *Education and Training of the Mentally Retarded*, 13, 172-176.

Hagger L & Hutchinson, R. (1991). Snoezelen: an approach to the provision of a leisure resource for people with profound and multiple handicaps. *Mental Handicap* 19[2], 51-55. Ref Type: Journal (Full)

Hauck, Y., Rivers, C., & Doherty, K. (2007). Women's experience of using a Snoezelen room during labour in Western Australia. *Midwifery*, 03.

Hauck, Y. L., Summers, L., White, E., & Jones, C. (2008). **A qualitative study of Western Australian women's perceptions of using a Snoezelen room for breastfeeding during their postpartum hospital stay.** *Int.Breastfeed.J.*, 3, 20.

Heyn, P. (2003). **The effect of a multisensory exercise program on engagement, behavior, and selected physiological indexes in persons with dementia.** *American Journal of Alzheimer's disease and Other Dementias*, 18, 247-251.

Hodnett, E. D., Downe, S., Walsh, D., & Weston, J. (2010). **Alternative versus conventional institutional settings for birth.** *Cochrane Database Syst Rev*, CD000012.

Hogg, J., Cavet, J., Lambe, L., & Smeddle, M. (2001). **The use of 'Snoezelen' as multisensory stimulation with people with intellectual disabilities: a review of the research.** *Res.Dev.Disabil.*, 22, 353-372.

Hogg, J., Cavet, J., Lambe, L., & Smeddle, M. (2001). **The use of 'Snoezelen' as multisensory stimulation with people with intellectual disabilities: a review of the research.** *Res.Dev.Disabil.*, 22, 353-372.

Holtkamp, C. C., Kragt, K., van Dongen, M. C., van Rossum, E., & Salentijn, C. (1997). **[Effect of snoezelen on the behaviour of demented elderly].** *Tijdschr.Gerontol.Geriatr.*, 28, 124-128.

Hong, C. S. (2004). **Helping children with learning disabilities. Making sense of multisensory environments.** *J.Fam.Health Care*, 14, 35-38.

Hong, C., Barber, B., & Wyatt, L. (1999). **Enhancing leisure through multi-sensory environments.** *Nursing and residential care*, 1, 206-210.

Hope, K. W. (1998). **The effects of multisensory environments on older people with dementia.** *J.Psychiatr.Ment.Health Nurs.*, 5, 377-385.

Hope, K. W., Easby, R., & Waterman, H. (2004). **'Finding the person the disease has'--the case for multisensory environments.** *J.Psychiatr.Ment.Health Nurs.*, 11, 554-561.

Hope, K. & Waterman, H. (2004). **Using multi-sensory environments with people with dementia.** *Dementia*, 3, 45-68.

Hotz, G. A., Castelblanco, A., Lara, I. M., Weiss, A. D., Duncan, R., & Kuluz, J. W. (2006). **Snoezelen: a controlled multi-sensory stimulation therapy for children recovering from severe brain injury.** *Brain Inj.*, 20, 879-888.

Houghton S, Douglas G, Brigg J, Langsford S, Powerl L, West J et al. (1998). **An empirical evaluation of an interactive multi-sensory environment for children with disability.** *Journal of Intellectual and Developmental Disabilities*, 23, 267-278.

Hulsegrave J & Verheul A (1987). *Snoezelen*. Chesterfield: Rompa UK Publications.

Hutchinson, R. & Hagger L (1992). The development and evaluation of a Snoezelen leisure resource for people with severe and multiple disability. In R.Hutchinson & J. Kewin (Eds.), *Sensations and disability: Sensory environments for leisure, Snoezelen, Education and Therapy* (pp. 18-48). Chesterfield: Rompa UK Publications.

Hutchinson, R. & Kewin, J. (1994). *Sensations and disability sensory environments for leisure, Snoezelen, education and therapy*. Exeter: Rompa.

Kaplan, H., Clopton, M., Kaplan, M., Messbauer, L., & McPherson, K. (2006). *Snoezelen multi-sensory environments: task engagement and generalization*. *Res.Dev.Disabil.*, 27, 443-455.

Klages, K., Zecevic, A., Orange, J. B., & Hobson, S. (2011). *Potential of Snoezelen room multisensory stimulation to improve balance in individuals with dementia: a feasibility randomized controlled trial*. *Clin.Rehabil.*

Kragt K, Holtkamp, C. C., Van Dongen MCJM, Van Rossum E, & Salentijn C (1997). *Het effecten van snoezelen in de snoezelruimte op het welbevinden van demente oueren*. *Verpleegkunde*, 12, 227-236.

Kragt, K., Holtkamp, C. C., van Dongen, M. C., van Rossum, E., & Salentijn, C. (1997). [The effect of sensory stimulation in the sensory stimulation room on the well-being of demented elderly. A cross-over trial in residents of the R.C. Care Center Bernardus in Amsterdam]. *Verpleegkunde.*, 12, 227-236.

Kwok, H. W., To, Y. F., & Sung, H. F. (2003). The application of a multisensory Snoezelen room for people with learning disabilities-Hong Kong experience. *Hong.Kong.Med.J.*, 9, 122-126.

Lancioni, G. E., Cuvo, A. J., & O'Reilly, M. F. (2002). Snoezelen: an overview of research with people with developmental disabilities and dementia. *Disabil.Rehabil.*, 24, 175-184.

Lancioni, G. E., Singh, N. N., O'Reilly, M. F., Oliva, D., & Basili, G. (2005). An overview of research on increasing indices of happiness of people with severe/profound intellectual and multiple disabilities. *Disabil.Rehabil.*, 27, 83-93.

Lavie, E., Shapiro, M., & Julius, M. (2005). Hydrotherapy combined with Snoezelen multi-sensory therapy. *Int.J.Adolesc.Med.Health*, 17, 83-87.

Lindsay, W. R., Pitcaithly, D., Geelen, N., Buntin, L., Broxholme, S., & Ashby, M. (1997). **A comparison of the effects of four therapy procedures on concentration and responsiveness in people with profound learning disabilities.** *J.Intellect.Disabil.Res.*, 41 ( Pt 3), 201-207.

Livingston, G., Johnston, K., Katona, C., Paton, J., & Lyketsos, C. G. (2005). **Systematic review of psychological approaches to the management of neuropsychiatric symptoms of dementia.** *Am.J.Psychiatry*, 162, 1996-2021.

Lotan M & Shapiro M (2005). **Management of young children with Rett disorder in the controlled multi-sensory (Snoezelen) environment.** *Brain and Development, In press*, 1-7.

Lotan, M. & Merrick, J. (2004). **Rett syndrome management with Snoezelen or controlled multi-sensory stimulation.** A review. *Int.J.Adolesc.Med.Health*, 16, 5-12.

Lotan, M. & Shapiro, M. (2005). **Management of young children with Rett disorder in the controlled multi-sensory (Snoezelen) environment.** *Brain Dev.*, 27 Suppl 1, S88-S94.

Lotan, M. (2006). **Management of Rett syndrome in the controlled multisensory (Snoezelen) environment. A review with three case stories.** *ScientificWorldJournal*, 6, 791-807.

Lotan, M. & Gold, C. (2009). **Meta-analysis of the effectiveness of individual intervention in the controlled multisensory environment (Snoezelen) for individuals with intellectual disability.** *J.Intellect.Dev.Disabil.*, 34, 207-215.

Martin, N. T., Gaffan, E. A., & Williams, T. (1998). **Behavioural effects of long-term multi-sensory stimulation.** *Br.J.Clin.Psychol.*, 37 ( Pt 1), 69-82.

Matson, J. L., Bamburg, J. W., & Smalls, Y. (2004). **An analysis of Snoezelen equipment to reinforce persons with severe or profound mental retardation.** *Res.Dev.Disabil.*, 25, 89-95.

McKee, S. A., Harris, G. T., Rice, M. E., & Silk, L. (2007). **Effects of a Snoezelen room on the behavior of three autistic clients.** *Res.Dev.Disabil.*, 28, 304-316.

McKenzie, C. (1995). **Brightening the lives of elderly residents through Snoezelen.** *Elder.Care*, 7, 11, 13.

Merrick, J., Cahana, C., Lotan, M., Kandel, I., & Carmeli, E. (2004). **Snoezelen or controlled multisensory stimulation. Treatment aspects from Israel.** *ScientificWorldJournal.*, 4, 307-314.

Minner, D., Hoffstetter, P., Casey, L., & Jones, D. (2004). **Snoezelen activity: the Good Shepherd Nursing Home experience.** *J.Nurs.Care Qual.*, 19, 343-348.

Moffat, N., Barker, P., Pinkney, L., Garside, M., & Freeman, C. (1993). ***Snoezelen an experience for people with dementia.*** Chesterfield: Rompa.

Morrissey, M. & Biela, C. (1997). ***Snoezelen: benefits for nursing older clients.***

*Nurs Stand.*, 12, 38-40.

Nasser, K., Cahana, C., Kandel, I., Kessel, S., & Merrick, J. (2004). ***Snoezelen: children with intellectual disability and working with the whole family.*** *ScientificWorldJournal.*, 4, 500-506.

Pieper, M. J., Achterberg, W. P., Francke, A. L., van der Steen, J. T., Scherder, E. J., & Kovach, C. R. (2011). ***The implementation of the serial trial intervention for pain and challenging behaviour in advanced dementia patients*** (STA OP!): a clustered randomized controlled trial. *BMC Geriatr.*, 11, 12.

Pinkney, L. (1997). ***A comparison of the Snoezelen environment and a music relaxation group on the mood and behaviour of patients with senile dementia.*** *British Journal of Occupational Therapy*, 60, 209-212.

Pinkney, L. (1998). ***Exploring the myth of multi-sensory environments.*** *British Journal of Occupational Therapy*, 61, 365-366.

- Pinkney, L. (2002). **Commentary (Multi-sensory Therapy in Psychiatric Care).**  
*Advances in Psychiatric Treatment*, 8, 444-452.
- Pol-Grevelink, A., Jukema, J. S., & Smits, C. H. (2011). **Person-centred care and job satisfaction of caregivers in nursing homes: a systematic review of the impact of different forms of person-centred care on various dimensions of job satisfaction.**  
*Int.J.Geriatr.Psychiatry*.
- Reuschenbach, B. & Mallau, A. (2005). **[Snoezelen in dementia: disco in the nursing home or sensible therapeutic offering?].** *Pflege.Z.*, 58, 304-308.
- Riley-Doucet, C. K. (2009). **Use of multisensory environments in the home for people with dementia.** *J.Gerontol.Nurs.*, 35, 42-52.
- Rivers, C., Doherty, K., & Hauck, Y. (2007). **Use of the Snoezelen concept for maternity clients.** *Aust.Nurs.J.*, 15, 35.
- Robinson, S. & Lumb, A. (1997). **Use of the AMPS to evaluate older adults with mental health problems.** *British Journal of Therapy and Rehabilitation* 4[10], 541-545.
- Sachs, D. & Nasser, K. (2009). **Facilitating family occupations: family member perceptions of a specialized environment for children with mental retardation.**  
*Am.J.Occup.Ther.*, 63, 453-462.

Sanabria, D., Soto-Faraco, S., Chan, J., & Spence, C. (2005). **Intramodal perceptual grouping modulates multisensory integration: evidence from the crossmodal dynamic capture task.** *Neurosci.Lett.*, 377, 59-64.

Savage, P. (1996). **Snoezelen for confused older people: some concerns.** *Elder.Care*, 8, 20-21.

Schofield, P. (1996). **Snoezelen: its potential for people with chronic pain.** *Complement Ther.Nurs.Midwifery*, 2, 9-12.

Schofield, P., Davies, B., & Hutchinson, R. (1998). **Evaluating the use of Snoezelen and chronic pain: the findings of an investigation into its use (Part II).** *Complement Ther.Nurs.Midwifery*, 4, 137-143.

Schofield, P. & Davis, B. (1998). **Sensory deprivation and chronic pain: a review of the literature.** *Disabil.Rehabil.*, 20, 357-366.

Schofield, P., Davies, B., & Hutchinson, R. (1998). **Evaluating the use of Snoezelen and chronic pain: the findings of an investigation into its use (Part II).** *Complement Ther.Nurs.Midwifery*, 4, 137-143.

Schofield, P. & Davis, B. (2000). **Sensory stimulation (snoezelen) versus relaxation: a potential strategy for the management of chronic pain.** *Disabil.Rehabil.*, 22, 675-682.

Schofield, P. (2000). **The effects of Snoezelen on chronic pain.** *Nurs.Stand.*, 15, 33-34.

Schofield, P. (2002). **Evaluating Snoezelen for relaxation within chronic pain management.** *Br.J.Nurs.*, 11, 812-821.

Schofield, P. (2003). **A pilot study into the use of a multisensory environment (Snoezelen) within a palliative day-care setting.** *Int.J.Palliat.Nurs.*, 9, 124-130.

Schofield, P. A., Davis, B. D., & Hutchinson, R. (1998). **Snoezelen and chronic pain: developing a study to evaluate its use (Part I).** *Complement Ther.Nurs.Midwifery*, 4, 66-72.

Schofield, P., Davies, B., & Hutchinson, R. (2003). **Evaluating the use of Snoezelen and chronic pain: the findings of an investigation into its use (part II).** *Complementary Therapies in Nursing and Midwifery*, 4, 137-143.

Schofield, P. A. & University of Wales (2000). **A study of relaxation in the management of chronic pain within two different environments.**

Shams, L. & Seitz, A. R. (2008). **Benefits of multisensory learning.** *Trends Cogn Sci.*, 12, 411-417.

Shapiro, M., Melmed, R. N., Sgan-Cohen, H. D., Eli, I., & Parush, S. (2007). **Behavioural and physiological effect of dental environment sensory adaptation on children's dental anxiety.** *Eur.J.Oral Sci.*, 115, 479-483.

Singh, N., Lancioni, G. E., Winton, A., Molina, E., Sage, M., Brown, S. et al. (2004). **Effects of Snoezelen room, Activities of Daily Living Skills training, and Vocational Skills training on aggression and self injury by adults with mental retardation and mental illness.** *Research in developmental disabilities*, 24, 285-293.

Slevin, E. & McClelland, A. (1999). Multisensory environments: are they therapeutic? **A single-subject evaluation of the clinical effectiveness of a multisensory environment.** *J.Clin.Nurs.*, 8, 48-56.

Spaull, D., Leach, C., & Frampton, I. (1998). **An evaluation of the effects of sensory stimulation with people who have dementia.** *Behavioural and cognitive psychotherapy* 26, 77-86.

Staal, J., Pinkney, L., & Roane, D. (2003). **Assessment of Stimulus Preferences in Multi-sensory Environment Therapy for Older People with Dementia.** *British Journal of Occupational Therapy*, 66, 542-550.

Staal, J., Sacks, A., Matheis, R., Beilfus, R., Calia, T., Hanif, H. et al. (2006). **Combination Treatment: The effects of multi-sensory behavior therapy (Snoezelen) and standard psychiatric care on agitation, apathy, and activities of daily living in dementia patients on a short term geriatric psychiatric inpatient unit.** *Gerontologist*, 45, 131.

Staal, J. A., Sacks, A., Matheis, R., Collier, L., Calia, T., Hanif, H. et al. (2007). **The effects of Snoezelen (multi-sensory behavior therapy) and psychiatric care on agitation, apathy, and activities of daily living in dementia patients on a short term geriatric psychiatric inpatient unit.** *Int.J.Psychiatry Med.*, 37, 357-370.

Tanaka, E., Kida, T., Inui, K., & Kakigi, R. (2009). **Change-driven cortical activation in multisensory environments: an MEG study.** *Neuroimage*., 48, 464-474.

Teitelbaum, A., Volpo, S., Paran, R., Zislin, J., Drumer, D., Raskin, S. et al. (2007). **[Multisensory environmental intervention (snoezelen) as a preventive alternative to seclusion and restraint in closed psychiatric wards].** *Harefuah*, 146, 11-80.

Thompson, S. B. N. & Martin, S. (1994). **Making sense of multi-sensory rooms for people with learning disabilities.** British Journal of Occupational Therapy 57, 341-344.

Thurtle, V. & Wyatt, L. (2004). **Multisensory environments and evidence-based practice.** *British journal of community nursing*, 4, 440-445.

- Titze, C. (2000). ["**Snoezelen**" within the framework of basal stimulation]. *Kinderkrankenschwester.*, 19, 279-280.
- van Weert, J. C., Kerkstra, A., van Dulmen, A. M., Bensing, J. M., Peter, J. G., & Ribbe, M. W. (2004). **The implementation of snoezelen in psychogeriatric care: an evaluation through the eyes of caregivers.** *Int.J.Nurs.Stud.*, 41, 397-409.
- van Weert, J. C., van Dulmen, A. M., Spreeuwenberg, P. M., Bensing, J. M., & Ribbe, M. W. (2005). **The effects of the implementation of snoezelen on the quality of working life in psychogeriatric care.** *Int.Psychogeriatr.*, 17, 407-427.
- van Weert, J. C., van Dulmen, A. M., Spreeuwenberg, P. M., Ribbe, M. W., & Bensing, J. M. (2005). **Effects of snoezelen, integrated in 24 h dementia care, on nurse-patient communication during morning care.** *Patient.Educ.Couns.*, 58, 312-326..
- van Weert, J. C. M., van Dulmen, A. M., Spreeuwenberg, P. M. M., Ribbe, M., & Bensing, J. (2005). **Behavioural and mood effects of Snoezelen integrated into 24-hour dementia care.** *Journal of American Geriatric Society*, 53, 24-33.
- van Weert, J. C. M., Janssen, B. M., van Dulmen, A. M., Spreeuwenberg, P. M. M., Bensing, J. M., & Ribbe, M. W. (2006). **Nursing assistants' behaviour during morning care: effects of the implementation of snoezelen, integrated in 24-hour dementia care.** *Journal of Advanced Nursing*, 53, 656-668.

Verkaik, R., van Weert, J. C., & Francke, A. L. (2005). **The effects of psychosocial methods on depressed, aggressive and apathetic behaviors of people with dementia: a systematic review.** *Int.J.Geriatr.Psychiatry*, 20, 301-314.

Weert, J., Janssen, B., van Dulmen, A., Spreeuwenberg, P., Bensing, J., & Ribbe, M. (2006). **Nursing assistants behaviour during morning care: effects of the implementation of Snoezelen, integrated in 24-hour dementia care.** *Journal of Advanced Nursing*, 53, 656-668

White, J. (1997). **Creating a Snoezelen effect in Picu.** *Paediatr.Nurs.*, 9, 20-21.

Withers PS & Ensum I (1995). **Successful treatment of severe self injury incorporating the use of DRO, a Snoezelen room and orientation cues.** *British Journal of Learning Disabilities*, 23, 164-167.

Woodrow, P. (1998). **Interventions for confusion and dementia.** 4: Alternative approaches. *Br.J.Nurs.*, 7, 1247-1250.