



Failure to follow correct maintenance practises may lead to permanent damage of your upholstered items.

PVC

Description

Plasticised Polyvinyl chloride (PVC) polymer, direct coated onto both sides of a polyester substrate, with a subtly textured finish. Phthalate free.

Anti-fungal / Anti-bacterial

Contains anti-fungal additive.

Cold crack

-15 °C.

Cleaning

Wipe down the fabric with a damp cloth to remove dust and dirt. Use mild soap if needed. For tougher stains, use a mixture of water and mild detergent. Avoid harsh chemicals as they can damage the fabric.

Drying

Always air dry PVC fabric. Avoid using heat sources like dryers or direct sunlight, as excessive heat can cause the fabric to warp or crack.

Regular Inspection

Check for any signs of wear and tear regularly. Address small issues promptly to prevent them from becoming bigger problems.

Protective Measures

Use protective covers if the fabric is exposed to harsh conditions or prolonged sunlight.

Polyester

Description

Polyurethane coated dyed polyamide substrate with a fluorocarbon finish. Phthalate free.

Anti-fungal / Anti-bacterial

Anti-fungal and anti-bacterial coating.

Cold crack

-40 °C.

Cleaning

If material can be removed from the main product, you are able to machine wash on a gentle cycle with cold or lukewarm water, using a regular detergent and fabric softener. Avoid using bleach as it can damage the fabric. For delicate items, hand wash with a mild detergent in lukewarm water. You can steam clean polyester fabric, but it's crucial to use a steam cleaner with temperature controls, avoid over-steaming.

Drying

Polyester can be tumble dried on a low heat setting. Remove promptly to avoid wrinkles. Alternatively, you can air dry polyester fabric. Hang it up or lay it flat in a well-ventilated area.

Regular Inspection

Check for any signs of wear and tear regularly. Address small issues promptly to prevent them from becoming bigger problems.

Protective Measures

Use protective covers if the fabric is exposed to harsh conditions or prolonged sunlight.

Faux Suede

Description

Microfibre polyester base with a brushed suede effect. Phthalate free.

Anti-fungal / Anti-bacterial

Nano-silver antibacterial technology. Stops 99.9% of bacterial growth within 2-4 hours.

Cold crack

N / A

Cleaning

Brush the fabric gently with a soft-bristled brush to remove dust and dirt. For stains, use a damp cloth with a mild soap solution. Blot the stain gently rather than rubbing to avoid damaging the fabric.

Drying

Allow the fabric to air dry naturally. Avoid direct sunlight and heat sources like dryers, as they can cause the fabric to stiffen or fade.

Regular Inspection

Check for any signs of wear and tear regularly. Address small issues promptly to prevent them from becoming bigger problems.

Protective Measures

Use protective covers if the fabric is exposed to harsh conditions or prolonged sunlight.

Faux Leather

Description

Microfibre polyester base with a soft leather effect

Anti-fungal / Anti-bacterial

Anti fungal, anti-bacterial, antimicrobial coating.

Cold crack

N / A

Cleaning

Wipe down the fabric with a soft, damp cloth to remove dust and dirt. Use a mild soap solution if needed. For tougher stains, use a mixture of water and mild detergent. Avoid using harsh chemicals or abrasive cleaners as they can damage the fabric.

Drying

Always air dry. Avoid using heat sources like dryers or direct sunlight, as excessive heat can cause the fabric to crack or warp.

Regular Inspection

Check for any signs of wear and tear regularly. Address small issues promptly to prevent them from becoming bigger problems.

Protective Measures

Use protective covers if the fabric is exposed to harsh conditions or prolonged sunlight.

Polytran

Description

Polyurethane transfer coating on a weft knitted polyester fabric.

Anti-fungal / Anti-bacterial

Anti fungal and anti-bacterial coating.

Cold crack

Suitable for environments between 20°C and 50°C.

Cleaning

May be cleaned, but do not use trichloroethylene.

Drying

Always air dry. Avoid using heat sources like dryers or direct sunlight.

Regular Inspection

Check for any signs of wear and tear regularly. Address small issues promptly to prevent them from becoming bigger problems.

Protective Measures

Use protective covers if the fabric is exposed to harsh conditions or prolonged sunlight.