



1. Product Name

LED Ceiling Panel – Set of 4

2. Product Code

21491

3. Colour

Varied – many different designs are available.

4. Brief Description

Transform an uninspiring or dark space into an inviting, cozy environment. The ultra-thin LED panels replace the desired number of existing ceiling tiles.

5. Contents

- 4 x 60 x 60cm LED Panel
- Graphic Photo
- Adapter
- White aluminium lifter

6. <u>Snoezelen® Stimulations</u>

• Sight

7. Best Use

Use indoors, in a ceiling space replacing ceiling tiles.

8. Compatible ROMPA® Products

We have a range of items that transform ceilings, walls and floors. Please look at <u>www.rompa.com</u> for a full range of options

9. Starting Up

• Replace ceiling panels with the LED Ceiling Panels.

10. Detailed Description

Transform an uninspiring or dark space into an inviting, cozy environment. The ultra-thin LED panels replace the desired number of existing ceiling tiles. The high quality image helps create an atmosphere and provide an illusion of daylight as if it were a real window.

11. <u>Safety</u>

- Do not pull the cable with excessive force
- Use only the power adapter supplied. Failure to observe this instruction could result in permanent damage to the lightbox.
- Indoor use only.
- Keep the panel away from high areas of humidity.
- Do not locate this in areas subject to extreme temperatures, maximum +35°C
- LED bulbs have a life expectancy of more than 40,000 hours subject to the unit being switched on for a maximum of 12 hours per day and kept out of direct sunlight. After this time brightness may reduce by up to 30%.
- The LED Ceiling panel must be installed by a competent trained person, following the instructions provided.


12. Technical Specification

Size: 60 x 60cm LED panel Cable:


13. Installation

WARNING: Fingerprints and grease stains are very visible when the LED is switched on. Wearing gloves during assembly installation and changing the picture will prevent this from occurring.

2.5mL



Place the front panel with the taped side towards the LED strip.




Place the lasered panel with the yellow sticker pointing upwards so that it lines up with the yellow sticker on the frame.



Make sure cables are not trapped between the panels and the frame.

Mounting the LED Ceiling Panel

- Before starting, ensure that the power is switched off.
- Wear gloves to make sure that no fingerprints can be seen on the front sheet, poster and lasered panel. These become highly visible when the LED is switched on.
- Assemble the product before placing it in the ceiling.
- Assemble the parts in indicated order below.



• Make sure that the LED Ceiling Panel is placed under the angle profile. The panels fit the frame in one way only.

Changing the LED Ceiling Panel picture

- Wear gloves to avoid fingerprints and grease stains on the display. Before replacing the poster, remove the frame from the ceiling.
- Remove the back panel and lasered panel.
- After replacing the poster, follow the mounting instructions 1-3 above.

14. Care and Maintenance

- Use an anti-static wipe to clean the panel.
- Do not use any liquids.

15. Troubleshooting

Not applicable.

Further copies of these instructions can be downloaded at www.rompa.com

We hope you find our instructions invaluable. If you have any suggestions for improving them further your comments will be greatly received – please contact us at producthelp@rompa.com