

Platform Seat Instruction Manual

WARNING

READ ENTIRE MANUAL BEFORE USE. THIS SWING IS NOT A TOY.

THIS SWING IS ONLY TO BE USED UNDER ADULT SUPERVISION. CONSULT WITH A CHILD'S THERAPIST ON HOW TO USE.

THIS SWING IS DESIGNED AS A THERAPEUTIC TOOL FOR A CHILD WITH DEVELOPMENTAL NEEDS. USE OF THE SWING SHOULD ALWAYS BE IN A CONTROLLED FASHION WITH AN ADULT'S HAND ON THE SWING, GUIDING THE MOTION.

THE SWING SHOULD ALWAYS BE GUIDED BY PLACING THE HANDS ON THE SWING, ITSELF. PUSHING ON THE CHAINS COULD RESULT IN EARLY FAILURE OF THE CHAINS AND VINYL.

ONLY UTILIZE THE SWING WITH ONE INDIVIDUAL AT A TIME, AND ALL HANDS AND FEET SHOULD BE KEPT OUT FROM UNDER THE SEAT.

THIS SWING IS A LOW MOTION DEVICE; KEEP THE SWING'S OCCUPANT / SEAT WITHIN THE PERIMETER OF THE FOUR LEGS. FAILURE TO DO SO CAN RESULT IN TIPPING OF THE SWING.

NEVER ALLOW THE INDIVIDUAL TO STAND ON / IN THE SWING; EVEN DURING THERAPY.

THE SWING IS DESIGNED TO BE USED CLOSE TO THE GROUND.

THERE IS NO SEAT BELT. CARE MUST BE TAKEN NOT TO ALLOW THE CHILD TO FALL OFF THE SWING.

CHOKING HAZARD: DO NOT ALLOW EATING OR DRINKING ON THE SWING!

STRANGULATION HAZARD: DO NOT ATTACH STRINGS OR ROPES TO THE SWING OR PLACE THE SWING NEXT TO ANY STRINGS OR ROPES.

UNSUPERVISED USE OF THIS SWING CAN RESULT IN SEVERE INJURY. WHEN NOT IN USE, THE SWING MUST BE DISASSMBLED AND STORED IN A SAFE PLACE.

WORKING LOAD:

150 lbs for the OTG1 Platform Seat (PB1)

250 lbs for the OTG2 Platform Seat (PB1-2 and PB2)

300 lbs for the OTG3 Platform Seat (PB1-3 and PB3)



Take time to familiarize yourself with the use and maintenance of this equipment before using. Please keep this Instruction Sheet in an accessible location. The Instruction Sheet must be read and familiar to anyone who is using the Platform Seat. If this Instruction Sheet is misplaced, please visit the product page on the FlagHouse website or email (haleysjoy@flaghouse.com) for a replacement.

IMPORTANT

Please check equipment immediately for any damage that may have occurred in shipping. Contact FlagHouse immediately if there is a damaged piece 800.793.7900 (US & International) or 800.265.6900 (Canada).

GENERAL INFORMATION

The Platform Seat comes with a stretch cord to make the platform board easier to move from place to place and store. When ready to use the seat, carefully release the stretch cord from the suspension chains. While the seat is in use, place the cord in the swing bag or in a safe place of reach of the intended occupant.

There are two spring clip connectors; one for each pair of suspension chains. Open the spring clip of each connector and place into the swing's 'easy glide' connection. The proper orientation of the 'easy glide' connection is shown here for clarity; the chain connector goes into the bottom opening of the 'easy glide' connection.



Both views below show the chain connectors installed. Make sure the spring clips have closed properly. The position shown to the left is for linear movement of the swing. If rotation is desired, place both connectors in the single point connection. This is shown in the view to the right.



PLATFORM SEAT DETAILS

- The Platform Seat is vinyl covered padded swing that is moisture/wear resistant and easy to clean.
- The swing is suspended with vinyl covered chains. Unlike ropes, the vinyl covered chains are easy to clean.
- The individual can receive therapy laying on stomach or sitting. Think of it as a seat or a moving working desk. Top choice by Occupational Therapists!
- Do not remove the spring clips, or elastics bands, from the chains. They keep the proper chains together and ensure the swing is hung the next time as intended.
- If additional assistance is needed to help keep the individuals on the platform seat, an optional 'Low Tone Attachment' is available.


TO ASSURE CONTINUED SATISFACTION AND SAFETY OF THE SWINGS, PLEASE PERFORM THE NECESSARY WEAR INSPECTIONS AS DETAILED IN THE "MECHANICAL COMPONENT WEAR INSPECTION" SECTION BELOW.

MECHANICAL COMPONENT WEAR INSPECTION

The Seat Chains and Seat Ubolts have some amount of relative movement while the swing is being used. Under normal use, all of these components would not experience significant wear for years. However, under extreme heavy daily use, some of these components may experience wear much sooner and may need replacing.


As a matter of safety, all of these components should be checked every six months.

Seat Chains:



Wear in these areas are normally very light, but still should be checked. The following images show where to look for the wear and how to gauge the need for replacement. If any are found to have worn half way through the wall thickness, they need to be replaced. Remember, the simple rule to go by is "THE TIME FOR IT

Seat Bolts:



Note: For clarity the seat ubolt is shown without the seat. Also, although just one end of the chain is shown above, both ends would have to inspected.

If any of the above components are found to be worn out as described, contact FlagHouse at 1-800-793-7900 for replacement instructions.