

## FABRIC AND UPHOLSTERY

EN



**Failure to follow correct maintenance practises may lead to permanent damage of your upholstered items.**

### PVC

#### Description

Plasticised Polyvinyl chloride (PVC) polymer, direct coated onto both sides of a polyester substrate, with a subtly textured finish. Phthalate free.

#### Anti-fungal / Anti-bacterial

Contains an anti-fungal additive.

#### Cold crack

-15 °C.

#### Cleaning

Wipe down the fabric with a damp cloth to remove dust and dirt. Use mild soap if needed. For tougher stains, use a mixture of water and mild detergent. Avoid harsh chemicals as they can damage the fabric.

#### Drying

Always air dry PVC fabric. Avoid using heat sources like dryers or direct sunlight, as excessive heat can cause the fabric to warp or crack.

#### Regular Inspection

Check for any signs of wear and tear regularly. Address small issues promptly to prevent them from becoming bigger problems.

#### Protective Measures

Use protective covers if the fabric is exposed to harsh conditions or prolonged sunlight.

### Polyester

#### Description

Polyurethane coated dyed polyamide substrate with a fluorocarbon finish. Phthalate free.

#### Anti-fungal / Anti-bacterial

Anti-fungal and anti-bacterial coating.

#### Cold crack

-40 °C.

#### Cleaning

If material can be removed from the main product, you are able to machine wash on a gentle cycle with cold or lukewarm water, using a regular detergent and fabric softener. Avoid using bleach as it can damage the fabric. For delicate items, hand wash with a mild detergent in lukewarm water. You can steam clean polyester fabric, but it's crucial to use a steam cleaner with temperature controls, avoid over-steaming.

#### Drying

Polyester can be tumble dried on a low heat setting. Remove promptly to avoid wrinkles. Alternatively, you can air dry polyester fabric. Hang it up or lay it flat in a well-ventilated area.

#### Regular Inspection

Check for any signs of wear and tear regularly. Address small issues promptly to prevent them from becoming bigger problems.

#### Protective Measures

Use protective covers if the fabric is exposed to harsh conditions or prolonged sunlight.

### Faux Suede

#### Description

Microfibre polyester base with a brushed suede effect. Phthalate free.

#### Anti-fungal / Anti-bacterial

Nano-silver antibacterial technology. Stops 99.9% of bacterial growth within 2-4 hours.

#### Cold crack

N / A

#### Cleaning

Brush the fabric gently with a soft-bristled brush to remove dust and dirt. For stains, use a damp cloth with a mild soap solution. Blot the stain gently rather than rubbing to avoid damaging the fabric.

#### Drying

Allow the fabric to air dry naturally. Avoid direct sunlight and heat sources like dryers, as they can cause the fabric to stiffen or fade.

#### Regular Inspection

Check for any signs of wear and tear regularly. Address small issues promptly to prevent them from becoming bigger problems.

#### Protective Measures

Use protective covers if the fabric is exposed to harsh conditions or prolonged sunlight.

### Faux Leather

#### Description

Microfibre polyester base with a soft leather effect

#### Anti-fungal / Anti-bacterial

Anti fungal, anti-bacterial, antimicrobial coating.

#### Cold crack

N / A

#### Cleaning

Wipe down the fabric with a soft, damp cloth to remove dust and dirt. Use a mild soap solution if needed. For tougher stains, use a mixture of water and mild detergent. Avoid using harsh chemicals or abrasive cleaners as they can damage the fabric.

#### Drying

Always air dry. Avoid using heat sources like dryers or direct sunlight, as excessive heat can cause the fabric to crack or warp.

#### Regular Inspection

Check for any signs of wear and tear regularly. Address small issues promptly to prevent them from becoming bigger problems.

#### Protective Measures

Use protective covers if the fabric is exposed to harsh conditions or prolonged sunlight.

**Polytran****Description**

Polyurethane transfer coating on a weft knitted polyester fabric.

**Anti-fungal / Anti-bacterial**

Anti fungal and anti-bacterial coating.

**Cold crack**

Suitable for environments between 20°C and 50°C.

**Cleaning**

May be cleaned, but do not use trichloroethylene.

**Drying**

Always air dry. Avoid using heat sources like dryers or direct sunlight.

**Regular Inspection**

Check for any signs of wear and tear regularly. Address small issues promptly to prevent them from becoming bigger problems.

**Protective Measures**

Use protective covers if the fabric is exposed to harsh conditions or prolonged sunlight.