

: TWNH00032065 Number

: Sep 30, 2013

Date

Applicant:

Sample Description:

(1) group of submitted samples said to be:

PU Molded Foam Balls (Football, Swirl Football, Soccer Ball, Volleyball, Basketball, Item Name

Handball, Basebail, Golf Ball, Recation Ball, Bowling Pin, Relay Baton)

Item No. P6504P,P6504S,P6506H,P6506P,P6506S,P6507P,P6507S,P6508P,P6508S,P6542G,P6

563G,P6563B,P6570B/6CS,P6570P,P6570T,P6590B,P6590P,P6575K/6CS,P6575S/6CS ,P6575V/6CS,P6585F, P6585F/6CS, P6585-SP/S6, P6563G/6CS,PALOS-P6563G-

B/6CS, PALOS-P6563G/6CS,P6507Z-4,P6510Z,P6524Z/BU,P6524Z/GN,

P6524Z/RD,P6524Z/YW,P6526RB/6CS,P65W

Quantity

1 Group

Vendor/Manufacturer

Talwan Country of Origin Goods Exported to Global Market Sep 16, 2013 Sep 16, 2013 Date Sample Received

Date Test Started

Tests Conducted:

As requested by the applicant, for details please refer to attached pages.

Conclusion:

Please see page 2.

Remark:

#1 = Results were transferred from report No. TWNH00031873 dated Sep 14, 2013.

Authorized by:

On Behalf of Intertek Testing Servi

Taiwan Limited

Matt Wang Sr. Manager

Page 1 of 9

Intertek Testing Services Taiwan Ltd.

8F., No. 423, Rulguang Rd., Neihu District, Taipei 11492, Talwan, R.O.C. 全國公證檢驗股份有限公司

11492 台北市內胡區輸光路 423 號 8 樓 Tet (+886-2) 5602-2888 - 2797-8885 Fax: (+886-2) 6602-2420



Number: TWNH00032065

Conclusion:

Tested sample Submitted Samples Standard

Physical And Mechanical Properties

Result Pass

- ASTM F963-11 excluding section 7.1

Flammability Test Of Materials Other Than Textile Materials

Pass

ASTM F963-11, section 4.2

Tested Components of Submitted Samples

Total Lead (Pb) Content In Surface Coating

Not Applicable (See Note 2)

As Per U.S. Consumer Product Safety Improvement Act 2008,

Title I, Section 101

Total Lead (Pb) Content In Non-Surface Coating Materials

Pass (#1)

(Substrate)

As Per U.S. Consumer Product Safety Improvement Act 2008,

Title I, Section 101

Pass (#1)

Phthalates Content

As Per U.S. Consumer Product Safety Improvement Act 2008,

Title I, Section 108

Note:

Applicant is drawn to the attention that the name and address of producer, importer or distributor and the advice statement of keeping relevant information of the toy shall appear on it as specified in

section 7.1 of ASTM F963-11.

Note 2:

Since no scrapable surface coating was found on the submitted sample(s), the testing scope was not applicable to the submitted sample(s).

Tested components: (1) Yellow foam

- (1)
- Red foam (2)
- (3) Purple foam
- Blue foam (4)
- (5)Orange foam Green foam

Authorized by:

On Behalf of Intertek Testing Service

Taiwan Limited

Matt Wang Sr. Manager

Page 2 of 9

Intertek Testing Services Taiwan Ltd.

8F., No. 423, Ruiguang Rd., Neihu District, Taipei 11492, Taiwan, R.O.C. 全國公證檢驗股份有限公司

11492 台北市内阁區理光路 423 號 8 樓 Tet (+896-2) 5602-2888 - 2797-8885 Fax: (+896-2) 6602-2420



Number: TWNH00032065

Test Conducted

1. Physical And Mechanical Properties

As per ASTM F963-11 standard consumer safety specification for toy safety.

Age labeling on package / toy : None Is age label appropriate *1 : No

Age grading specified by applicant for testing #2: For ages over 6 years.

4.3.7 Stuffing material (visual check on contaminations) NA 4.5 * Sound-producing toys NA 4.6 Small objects NA 4.6.1 * Toys intended for children under 36 months NA 4.6.2 Mouth-actuated toys NA 4.6.3 Toys and games for 36 months to 72 months NA 4.7 * Accessible edges P 4.8 * Projections NA 4.9 * Accessible points P 4.10 * Wires or rods NA 4.11 Nails and fasteners NA 4.12 Plastic film NA 4.13 * Folding mechanisms and hinges NA 4.13 * Folding mechanisms and hinges NA 4.14 * Cords, straps and elastics NA 4.15 * Stability and over-load requirements NA 4.15 * Stability and over-load requirements NA 4.17 * Wheels, tires and axles NA 4.18 * Holes, clearance and accessibility of mechanisms NA 4.21 * Projec	Section	Testing items	Assessmen
4.5 * Sound-producing toys NA 4.6 Small objects NA 4.6.1 * Toys intended for children under 36 months NA 4.6.2 Mouth-actuated toys NA 4.6.3 Toys and games for 36 months to 72 months NA 4.7 * Accessible edges P 4.8 * Projections NA 4.9 * Accessible points P 4.10 * Wires or rods NA 4.11 Nails and fasteners NA 4.12 Plastic film NA 4.13 * Folding mechanisms and hinges NA 4.14 * Cords, straps and elastics NA 4.15 * Stability and over-load requirements NA 4.15 * Stability and over-load requirements NA 4.16 Confined spaces NA 4.17 * Wheels, tires and axles NA 4.18 * Holes, clearance and accessibility of mechanisms NA 4.19 * Simulated protective devices (such as helmets, hats and goggles) NA 4.21 * Projectiles toys NA 4.22	4.1	Material quality (visual check on cleanliness)	P
4.6 Small objects 4.6.1 * Toys intended for children under 36 months 4.6.2 Mouth-actuated toys 4.6.3 Toys and games for 36 months to 72 months 4.7* Accessible edges 4.8 * Projections 4.8 * Projections 4.9 * Accessible points 4.9 * Accessible points 4.10 * Wires or rods 4.11 Nails and fasteners NA 4.12 Plastic film NA 4.13 * Folding mechanisms and hinges 4.14 * Cords, straps and elastics 4.15 * Stability and over-load requirements 4.16 * Confined spaces NA NA 4.17 * Wheels, tires and axles 4.18 * Holes, clearance and accessibility of mechanisms 4.19 * Simulated protective devices (such as helmets, hats and goggles) NA 4.21 * Projectiles toys NA 4.22 * Teethers and teething toys NA 4.23 * Rattles	4.3.7	Stuffing material (visual check on contaminations)	NA
4.6.1 * Toys intended for children under 36 months NA 4.6.2 Mouth-actuated toys NA 4.6.3 Toys and games for 36 months to 72 months NA 4.7 * Accessible edges P 4.8 * Projections NA 4.9 * Accessible points P 4.10 * Wires or rods NA 4.11 Nalis and fasteners NA 4.12 Plastic film NA 4.13 * Folding mechanisms and hinges NA 4.14 * Cords, straps and elastics NA 4.15 * Stability and over-load requirements NA 4.16 * Confined spaces NA 4.17 * Wheels, tires and axles NA 4.18 * Holes, clearance and accessibility of mechanisms NA 4.19 * Simulated protective devices (such as helmets, hats and goggles) NA 4.21 * Projecties toys NA 4.22 * Teethers and teething toys NA 4.23 * Rattles NA 4.24 *	4.5*	Sound-producing toys	NA
4.6.2 Mouth-actuated toys NA 4.6.3 Toys and games for 36 months to 72 months NA 4.7* Accessible edges P 4.8* Projections NA 4.9* Accessible points P 4.10* Wires or rods NA 4.11 Nalis and fasteners NA 4.12 Plastic film NA 4.13* Folding mechanisms and hinges NA 4.14* Cords, straps and elastics NA 4.15* Stability and over-load requirements NA 4.16* Confined spaces NA 4.17* Wheels, tires and axles NA 4.18* Holes, dearance and accessibility of mechanisms NA 4.19* Simulated protective devices (such as helmets, hats and goggles) NA 4.20 Pacifiers NA 4.21* Projectiles toys NA 4.22* Teethers and teething toys NA 4.23* Rattles NA 4.24 Squeeze toys NA 4.25* Battery-operated toys NA	4.6	Small objects	Contract Contract
4.6.3 Toys and games for 36 months to 72 months NA 4.7* Accessible edges P 4.8* Projections NA 4.9* Accessible points P 4.10* Wires or rods NA 4.11 Nalis and fasteners NA 4.12 Plastic film NA 4.13* Folding mechanisms and hinges NA 4.14* Cords, straps and elastics NA 4.15* Stability and over-load requirements NA 4.15* Stability and over-load requirements NA 4.17* Wheels, tires and axles NA 4.18* Holes, dearance and accessibility of mechanisms NA 4.19* Simulated protective devices (such as helmets, hats and goggles) NA 4.20 Pacifiers NA 4.21* Projectiles toys NA 4.22* Teethers and teething toys NA 4.22* Rattles NA 4.24 Squeeze toys NA 4.25* Battery-operated toys	4.6.1*	Toys intended for children under 36 months	NA
4.7* Accessible edges P 4.8* Projections NA 4.9* Accessible points P 4.10* Wires or rods NA 4.11 Nails and fasteners NA 4.12 Plastic film NA 4.13* Folding mechanisms and hinges NA 4.13* Folding mechanisms and hinges NA 4.14* Cords, straps and elastics NA 4.15* Stability and over-load requirements NA 4.15* Stability and over-load requirements NA 4.16 Confined spaces NA 4.17* Wheels, tires and axles NA 4.18* Holes, dearance and accessibility of mechanisms NA 4.19* Simulated protective devices (such as helmets, hats and goggles) NA 4.20 Pacifiers NA 4.21* Projectiles toys NA 4.22* Teethers and teething toys NA 4.23* Rattles NA 4.24 Squeeze toys NA	4.6.2	Mouth-actuated toys	NA NA
4.8* Projections NA 4.9* Accessible points P 4.10* Wires or rods NA 4.11 Nalis and fasteners NA 4.12 Plastic film NA 4.13* Folding mechanisms and hinges NA 4.13* Folding mechanisms and hinges NA 4.14* Cords, straps and elastics NA 4.15* Stability and over-load requirements NA 4.15* Stability and over-load requirements NA 4.16 Confined spaces NA 4.17* Wheels, tires and axles NA 4.18* Holes, dearance and accessibility of mechanisms NA 4.19* Simulated protective devices (such as helmets, hats and goggles) NA 4.20 Pacifiers NA 4.21* Projectiles toys NA 4.22* Teethers and teething toys NA 4.23* Rattles NA 4.24 Squeeze toys NA 4.25* Battery-operated toys NA	4.6.3	Toys and games for 36 months to 72 months	NA
4.9* Accessible points P 4.10* Wires or rods NA 4.11 Nails and fasteners NA 4.12 Plastic film NA 4.13* Folding mechanisms and hinges NA 4.14* Cords, straps and elastics NA 4.15* Stability and over-load requirements NA 4.16 Confined spaces NA 4.17* Wheels, tires and axles NA 4.18* Holes, clearance and accessibility of mechanisms NA 4.19* Simulated protective devices (such as helmets, hats and goggles) NA 4.20 Pacifiers NA 4.21* Projectiles toys NA 4.22* Teethers and teething toys NA 4.23* Rattles NA 4.24 Squeeze toys NA 4.25* Battery-operated toys NA 4.26 Toys intended to be attached to a crib or playpen NA 4.27 Stuffed and beanbag-type toys NA 4.28 Stroller and carria	4.7*	Accessible edges	P
4.10 * Wires or rods NA 4.11 Nails and fasteners NA 4.12 Plastic film NA 4.13 * Folding mechanisms and hinges NA 4.14 * Cords, straps and elastics NA 4.15 * Stability and over-load requirements NA 4.16 Confined spaces NA 4.17 * Wheels, tires and axles NA 4.18 * Holes, clearance and accessibility of mechanisms NA 4.19 * Simulated protective devices (such as helmets, hats and goggles) NA 4.20 Pacifiers NA 4.21 * Projectiles toys NA 4.22 * Teethers and teething toys NA 4.23 * Rattles NA 4.25 * Battery-operated toys NA 4.26 Toys intended to be attached to a crib or playpen NA 4.27 Stuffed and beanbag-type toys NA 4.28 Stroller and carriage toys NA	4.8*	Projections	NA.
4.11 Nails and fasteners NA 4.12 Plastic film NA 4.13 * Folding mechanisms and hinges NA 4.14 * Cords, straps and elastics NA 4.15 * Stability and over-load requirements NA 4.16 Confined spaces NA 4.17 * Wheels, tires and axles NA 4.18 * Holes, clearance and accessibility of mechanisms NA 4.19 * Simulated protective devices (such as helmets, hats and goggles) NA 4.20 Pacifiers NA 4.21 * Projectiles toys NA 4.22 * Teethers and teething toys NA 4.23 * Rattles NA 4.24 * Squeeze toys NA 4.25 * Battery-operated toys NA 4.26 * Toys intended to be attached to a crib or playpen NA 4.27 * Stuffed and beanbag-type toys NA 4.28 * Stroller and carriage toys NA	4.9*	Accessible points	P
4.12 Plastic film NA 4.13 * Folding mechanisms and hinges NA 4.14 * Cords, straps and elastics NA 4.15 * Stability and over-load requirements NA 4.16 Confined spaces NA 4.17 * Wheels, tires and axles NA 4.18 * Holes, clearance and accessibility of mechanisms NA 4.19 * Simulated protective devices (such as helmets, hats and goggles) NA 4.20 Pacifiers NA 4.21 * Projectiles toys NA 4.22 * Teethers and teething toys NA 4.23 * Rattles NA 4.24 * Squeeze toys NA 4.25 * Battery-operated toys NA 4.26 * Toys intended to be attached to a crib or playpen NA 4.27 * Stuffed and beanbag-type toys NA 4.28 * Stroller and carriage toys NA	4.10*	Wires or rods	NA
4.13 * Folding mechanisms and hinges NA 4.14 * Cords, straps and elastics NA 4.15 * Stability and over-load requirements NA 4.16 Confined spaces NA 4.17 * Wheels, tires and axles NA 4.18 * Holes, clearance and accessibility of mechanisms NA 4.19 * Simulated protective devices (such as helmets, hats and goggles) NA 4.20 Pacifiers NA 4.21 * Projectiles toys NA 4.22 * Teethers and teething toys NA 4.23 * Rattles NA 4.24 Squeeze toys NA 4.25 * Battery-operated toys NA 4.26 Toys intended to be attached to a crib or playpen NA 4.27 Stuffed and beanbag-type toys NA 4.28 Stroller and carriage toys NA	4.11	Nails and fasteners	NA
4.14 * Cords, straps and elastics NA 4.15 * Stability and over-load requirements NA 4.16 Confined spaces NA 4.17 * Wheels, tires and axles NA 4.18 * Holes, clearance and accessibility of mechanisms NA 4.19 * Simulated protective devices (such as helmets, hats and goggles) NA 4.20 Pacifiers NA 4.21 * Projectiles toys NA 4.22 * Teethers and teething toys NA 4.23 * Rattles NA 4.24 * Squeeze toys NA 4.25 * Battery-operated toys NA 4.26 * Toys intended to be attached to a crib or playpen NA 4.27 * Stuffed and beanbag-type toys NA 4.28 * Stroller and carriage toys NA	4.12	Plastic film	NA
4.15 * Stability and over-load requirements NA 4.16 Confined spaces NA 4.17 * Wheels, tires and axles NA 4.18 * Holes, clearance and accessibility of mechanisms NA 4.19 * Simulated protective devices (such as helmets, hats and goggles) NA 4.20 Pacifiers NA 4.21 * Projectiles toys NA 4.22 * Teethers and teething toys NA 4.23 * Rattles NA 4.24 * Squeeze toys NA 4.25 * Battery-operated toys NA 4.26 * Toys intended to be attached to a crib or playpen NA 4.27 * Stuffed and beanbag-type toys NA 4.28 * Stroller and carriage toys NA	4.13*	Folding mechanisms and hinges	NA
4.16 Confined spaces NA 4.17 * Wheels, tires and axles NA 4.18 * Holes, clearance and accessibility of mechanisms NA 4.19 * Simulated protective devices (such as helmets, hats and goggles) NA 4.20 Pacifiers NA 4.21 * Projectiles toys NA 4.22 * Teethers and teething toys NA 4.23 * Rattles NA 4.24 Squeeze toys NA 4.25 * Battery-operated toys NA 4.26 Toys intended to be attached to a crib or playpen NA 4.27 Stuffed and beanbag-type toys NA 4.28 Stroller and carriage toys NA	4.14*	Cords, straps and elastics	NA
4.17 * Wheels, tires and axles NA 4.18 * Holes, clearance and accessibility of mechanisms NA 4.19 * Simulated protective devices (such as helmets, hats and goggles) NA 4.20 Pacifiers NA 4.21 * Projectiles toys NA 4.22 * Teethers and teething toys NA 4.23 * Rattles NA 4.24 Squeeze toys NA 4.25 * Battery-operated toys NA 4.26 Toys intended to be attached to a crib or playpen NA 4.27 Stuffed and beanbag-type toys NA 4.28 Stroller and carriage toys NA	4.15*	Stability and over-load requirements	NA.
4.18 * Holes, dearance and accessibility of mechanisms NA 4.19 * Simulated protective devices (such as helmets, hats and goggles) NA 4.20 Pacifiers NA 4.21 * Projectiles toys NA 4.22 * Teethers and teething toys NA 4.23 * Rattles NA 4.24 Squeeze toys NA 4.25 * Battery-operated toys NA 4.26 Toys intended to be attached to a crib or playpen NA 4.27 Stuffed and beanbag-type toys NA 4.28 Stroller and carriage toys NA	4.16	Confined spaces	NA
4.19 * Simulated protective devices (such as helmets, hats and goggles) NA 4.20 Pacifiers NA 4.21 * Projectiles toys NA 4.22 * Teethers and teething toys NA 4.23 * Rattles NA 4.24 Squeeze toys NA 4.25 * Battery-operated toys NA 4.26 Toys intended to be attached to a crib or playpen NA 4.27 Stuffed and beanbag-type toys NA 4.28 Stroller and carriage toys NA	4.17*	Wheels, tires and axles	NA
4.20 Pacifiers NA 4.21 * Projectiles toys NA 4.22 * Teethers and teething toys NA 4.23 * Rattles NA 4.24 Squeeze toys NA 4.25 * Battery-operated toys NA 4.26 Toys intended to be attached to a crib or playpen NA 4.27 Stuffed and beanbag-type toys NA 4.28 Stroller and carriage toys NA	4.18*	Holes, dearance and accessibility of mechanisms	NA
4.21 * Projectiles toys NA 4.22 * Teethers and teething toys NA 4.23 * Rattles NA 4.24 Squeeze toys NA 4.25 * Battery-operated toys NA 4.26 Toys intended to be attached to a crib or playpen NA 4.27 Stuffed and beanbag-type toys NA 4.28 Stroller and carriage toys NA	4.19*	Simulated protective devices (such as helmets, hats and goggles)	NA
4.22 * Teethers and teething toys NA 4.23 * Rattles NA 4.24 * Squeeze toys NA 4.25 * Battery-operated toys NA 4.26 * Toys intended to be attached to a crib or playpen NA 4.27 * Stuffed and beanbag-type toys NA 4.28 * Stroller and carriage toys NA	4.20	Pacifiers	NA
4.23 * Rattles NA 4.24 Squeeze toys NA 4.25 * Battery-operated toys NA 4.26 Toys intended to be attached to a crib or playpen NA 4.27 Stuffed and beanbag-type toys NA 4.28 Stroller and carriage toys NA	4.21*	Projectiles toys	NA
4.24 Squeeze toys NA 4.25 * Battery-operated toys NA 4.26 Toys intended to be attached to a crib or playpen NA 4.27 Stuffed and beanbag-type toys NA 4.28 Stroller and carriage toys NA	4.22*	Teethers and teething toys	NA NA
1.25 * Battery-operated toys NA 1.26 Toys intended to be attached to a crib or playpen NA 1.27 Stuffed and beanbag-type toys NA 1.28 Stroller and carriage toys NA	1.23*	Rattles	NA NA
1.26 Toys intended to be attached to a crib or playpen NA 1.27 Stuffed and beanbag-type toys NA 1.28 Stroller and carriage toys NA	1.24	Squeeze toys	NA
1.27 Stuffed and beanbag-type toys NA 1.28 Stroller and carriage toys NA	1.25*	Battery-operated toys	NA
1.28 Stroller and carriage toys NA	1.26	Toys intended to be attached to a crib or playpen	NA
10 TO	1.27	Stuffed and beanbag-type toys	NA .
1.30 Toy gun marking NA	1.28	Stroller and carriage toys	NA NA
	1.30	Toy gun marking	NA.





Number: TWNH00032065

Test Conducted

1. Physical And Mechanical Properties

Section	Testing Items	Assessment
4.31	Balloons	NA NA
4.32	Certain toys with nearly spherical ends	NA NA
4.33	Marbles	NA NA
4.34	Balls	NA NA
4.35	Pompoms	NA.
4.36	Hemispheric-shape objects	NA.
4.37	Yo Yo elastic tether toys	NA.
4.38*	Magnets	NA NA
4.39	Jaw entrapment in handles and steering wheels	NA NA
5.	Labeling requirements	P #2
6.	Instructional literature	NA
7.	Producer's markings	See note

Remarks :	*	=	The submitted samples were tested in accordance with the requirements of section 8.5 through section 8.23 e.g. Normal use testing, drop test, torque test, tension test, compression test, flexure test etc. whichever is applicable.
	*1	=	Reference material CPSC's age determination guidelines 2002 and ASTM F963-11 annex A1. The most stringent test is applied if the toy or its package is not age labeled in a dear and conspicuous manner, or, based on such factors as marketing practiced and the customary patterns of usage of the toy.
	P	=	Pass
	NA	=	Not applicable
	#2	=	The applicant has certified that proper age grading, label and marking will put on the final product, and the age grading, label and marking certified meet the requirement of this standard. It is applicant's responsibility to make sure the final product with the age grading, label and marking as certified.



Number: TWNH00032065

Test Conducted

2. Flammability Test

As per section 4.2 of ASTM F963-11 standard consumer safety specification on toy safety.

Specimen	Burn length (inch)	Time (second)	Burn rate (inch/ second)	Round burn rate (inch/ second)	Limit (inch/ second)	Assessment
Submitted Samples			IBE		0.10	Р

Remarks:

= Pass

IBE

= Ignite but self-extinguished

In order to pass this criteria the test product shall meet one of the following conditions:

A) Have burn rate of less than 0.10 inch/second. (Round the burn rate to the nearest tenth ,that is round 0.04 up to 0, 0.06 up to 0.10, 0.15 up to 0.2)

B) DNI = Did not ignite.

C) IBE =

Ignited but self-extinguished in a very short period which cannot be measured accurately.

3. Total Lead (Pb) Content In Non-Surface Coating Materials (Substrate)

According to CPSIA Test Method: CPSC-CH-E1002-08.3(non-metal) and CPSC-CH-E1001-08.3(metal), by acid digestion and Atomic Absorption Spectrophotometer (AAS) analysis.

Tested Component	Result (ppm)	Limit (ppm)	
(1)	ND	100	
(2)	ND	100	
(3)	ND	100	
(4)	ND	100	
(5)	ND	100	
(6)	ND	100	

Remarks:

ppm = Parts per million = mg/kg

ND = Not detected Detection limit = 20 ppm



Number: TWNH00032065

Test Conducted

4. Phthalates Content

According to CPSIA Test Method: CPSC-CH-C1001-09.3, by solvent extraction and Gas Chromatography-Mass Spectrometer (GC-MS) analysis.


Compound		Result (%)		Limit (%)
Diethyl Hexyl Phthalate (DEHP)	(1/2) ND	(3) ND	(4/5/6) ND	0.1
Dibutyl Phthalate (DBP)	ND	ND	ND	0.1
Benzyl Butyl Phthalate (BBP)	ND	ND	ND	0.1
Di-(Iso-Nonyl) Phthalate (DINP)	ND	ND	ND	0.1
Di-(Iso-Decyl) Phthalate (DIDP)	ND	ND	ND	0.1
DI-(N-Octyl) Phthalate (DNOP)	ND	ND	ND	0.1

Remarks: % = Percentage based on weight of tested sample ND = Not detected

Detection limit = 0.005% (for each compound)



Number: TWNH00032065



End of Report

- 6

This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any purposal economic of action. Intertak does not accept a duty of care or any other misponsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofer as is expressly contained in the learns and conditions governing intertainty provision of services to you, intertak makes on representations either express or implied with respect to this report serve as provided for in those terms and conditions. We have aimed to conduct the Review or a displayer and carefull basis and we not accept any liability to you for any loss arising out of or in connection with this report, in curriant, fort, by statute or otherwise, except in the event of our grows regisjence or will interceptor.

- 4

• 5



Number:

TWNH00032065

TERMS AND CONDITIONS OF BUSINESS

Intertek Testing Services Taiwan Ltd. (hereinafter "the Company") agrees to provide its services in accordance with and subject to the terms and conditions herein contained (hereinafter "the Company"). The Conditions may only be modified by a variation expressed in writing and signed on behalf of the Company by a director and no other action on the part of the Company or its employees or agents shall be construed as an acceptance of any other terms and conditions.
 The Company acts for the person or body from when the request to provide its services has originated (hereinafter "the Principal"). No other party is entired to give instructions to the Company unless agreed by the Company.
 All rights (including but not limited to copyright) in any test reports, surveys, certificates of inspection or other material produced by the Company in the course of providing its services shall remain vested in the Company. The Principal shall not reproduce a make copies, publish or disclose the centerts of any such material or extracts thereof to any their porty efforts.
 All rights and agents shall keep confiderabil and shall not publish or otherwise use any information that may be acquired relating to the Company's activities.
 The Company undertakes to exercise due care and skill in the performance of its services and accepts responsibility only where such skill and care is not exercised.

The Company what is expressed as an advantage of the services and septical states of the company undertakes to exercise due care and skill in the performance of its services and accepts responsibility only where such skill and care is not exercised. The listifity of the Company is respect of any claims for loss, damage or expense of whatsoever nature and the exercise due skill and care by the Company shall in no circumstances exceed a total aggregate sum equal to ten (10) times the amount of the fee or commission payable in respect of the specific service required under the particular contract with the Company which gives rise to such dains provided however that the Company shall have no labelity in respect of any claims for indicated or consequential loss including loss of production and/or cancellation of contracts entered into by the Principal.

The Company shall not in any severe be liable for any loss or damage caused by delay in performance or non-performance of any of its services where the same is occasioned by any cause whatsoever that is beyond the Company's control including but not limited to war, civil disturbance, requisitioning, governmental or parliamentary restriction, prohibitions or enactment of any loin, import or export regulations, or limited to war, civil disturbance, requisitioning, governmental or parliamentary restriction, prohibitions or enactment of any loin, import or export regulations, or line or according. Should any such event according to the principal loss and prohibitions or enactment of any loin, import or export regulations, or line or acceptance. Should any such event according to the company may cancel or suspend any contract for the prevision of services without incurring any liability whatsoever.

The Company with the level of the Principal loss any loss or demange assistance by the Principal or any of the Company shall not accept the principal or any of the Company is again or subcontractor as part of the necessary testing process and the Company shall not be responsib

44

5, 5.1

5.2

The Company shall be critical at its discretion to delegate the performance of the whole or any part of the services combatted for with the Principal to any agent or 8.

The Principal will

The Company shall be proped at as ascretion to delegate the performance of the whole or any part or the services contracted to with the Principal to any agent or subcontractor. Property engages, agent or subcontractor of the Company is entered in the indemnities contained in the General Conditions. So far as relates to such limitations and indemnities, any contract entered into try the Company is entered into not only on its own behalf but also as agent and hustee for every such person as aforesaid. If the requirements of the Principal recussitate the analysis of samples by the Principal or by any third party the Company will pass on the results of the analysis but well-out recommends, if such the the case, that a correct sample has been analysed but will not otherwise be responsible for the accuracy of such analysis.

ensure that instructions to the Company are given in due time and are accompanied by sufficient information to enable the required services to be performed

ensure that instructions to the Company are given in due once and are accompanied by surfaces information to ensure the required services to be performed effectively, accept that documents reflecting arrangements or agreements made between the Principal and any third party, or third party documents such as copies of contracts of saw, letters of credit, bills of lading, etc. are affreceived by the Company considered to be for information only, without extending or restricting the services to be provided or obligations accepted by the Company.

procure all necessary access for the Company is representatives to enable the required services to be performed effectively, supply, if required any special equipment and personnel necessary for the performance of the required services.

ensure that all necessary measures are taken for safety and security of working conditions, states and installations during the performance of the required services.





Number:

TWNH00032065

9.6 take all necessary steps to eliminate or remedy any obstruction to or interruptions in the performance of the required services and repack all inspected goods immediately after any inspection or survey of them,
inform the Company in advance of any known hazards or dangers, actual or potential, associated with any request for the provision of services by the

Company including but not limited to the presence or risk of radiation, tudo or noxuus or explosive elements or materials, environmental pollution or poisons;

10. The Principal shall guarantee, hold harmless and indemnify the Company and its officers, employees, agents or subcontractors against:

10.1 all claims made by any third party for any loss, damage or expense of whatsoever nature and howsoever arising relating to the performance, purported performance or non-performance of any of services to the extent that the aggregate of any such claims relating to any one service exceeds the limit expenses of Contractors. mentioned in Condition 4.2.

mentioned in Condition 4.2.

10.2 any less or damage suffered by the Company as a result of the provision of services by the Company to the Principal otherwise than resulting from the Company's own error, negligence or withil default.

11. The Principal will punctually pay the Company immediately upon presentation of the relevant invoice or within such other period as may have been agreed in writing by the Company all charges rendered by the Company falling which interest will become due at the rate of 1.5 per cert per month from the date of invoice until payment. The Principal further agrees and undertakes to reimburse the Company all distursements reasonably incurred in connection with the provision of its services

11.2 The Principal shall not be entitled to retain or defer payment of any sums due to the Company on account of any dispute, cross claim or set off which it may

- ine monopar shall not be entitled to retain or defer payment of any sums due to the Company on account of any dispute, cross claim or set off which it may allege against the Company.

 11.3 In the event of any suspension of payment arrangement with creditors, bankruptcy, insolvency, receivership or cessation of business or failure of the Principal to pay part or all of any sums owing to the Company, the Company shall be entitled to suspend all further performance of its services and withhold the issue of any test report, survey, certificate of inspection or other material requested forthwith and without liability until payment of all sums owing to the Company together with interest thereon is made.
- 12. Without prejudice to any eights the Company may have at law or under the Conditions, the Company has the following rights in the event of non-payment of sums owing to the Company as set out below

The Company has a general and particular lien over all samples delivered to be tested for all claims and sums owing by the Principal to the Company under

The Company has a general and particular lien over all samples delivered to be tested for all claims and sums owing by the Principal to the Company under any contract whatstoever and in any other way whatscoever.

During the currency of any such lien the Company is entitled to be paid reasonable storage charges for samples retained in the Company's custody. Without prejudice to the Company is lien and other rights under Conditions 12.1 to 12.2 showe, if test, inspection or survey of the goods takes place on the primises of the Company, the Company may give notice to the Principal at the goods (or any part thereof) are ready for collection and the Principal shall collect the same within three (3) calendar days (Saturdays, Sundays and Public Holidays excepted). Upon the expiry of this period, if the goods are not collected by the Principal, at the sole discretion of the Company the goods may be deemed abandoned analytic destroyed. Without prejudice to Conditions 123 above, the Company shall have the discretion to store the goods for any of them) at their own premises or elsewhere at the Principal's expense if the Principal has deposited the goods at the Company shall premise for the performance of these services and has subsequently failed to collect the said goods.

The expenses by way of disbursements that the Company way reclaim from the Principal include all reasonable costs incurred by the Company (whether by

The expenses by way of disbursements that the Company may reclaim from the Principal include all reasonable costs incurred by the Company (whether by way of storage, insurance or otherwise) in respect of the goods and it is expressly declared that it shall be reasonable but not mandatory for the Company to effect comprehensive insurance in respect of the goods.

Without prejudice to the Company's lien and other rights under Conditions 12.1 to 12.5 above, the risk and property in the goods shall remain at all times in 12.6 the Principal

the Principal.

In the event of the Company being prevented by reason of any cause whatsoever outside the Company's control from performing or completing any service for which an order has been given or an agreement made, the Principal will pay to the Company.

13.1 the amount of all abortive expenditure actually made or incurred, and 13.2 a proportion of the agreed fee or commission equal to the proportion (if any) of the service actually carried out, and the Company shall be relieved of all responsibility whatsoever for the partial or total non-performance of the required service.

The Company shall be discharged from all liability to the Principal for all claims for loss, damage or repense unless suit is brought within twelve (12) months after the date when such service should have been completed.

15. In the event that any unforeseen additional time or costs are incurred in the course of carrying out any of its services the Company shall be entitled to render

additional charges as shall measonably reflect such additional time and costs incurred.

All contracts for provision of services by the Company and the Conditions shall be construed in accordance with and governed by the laws of the ROC and for the purpose of any arbitral or higgation proceedings such contracts shall be deemed to have been made and performed in Takvan. If any provision contained in the Conditions is another becomes invalid, illegal or unenforceable in any respect under the laws of the ROC, the validity, legality and enforceability of the remaining

provisions hereof shall not in any way be affected or impaired thereby.

17. Any dispute or claim arising out of or resting to the provision of, or any agreement to provide, services by the Company shall be referred to and determined by arbitration subject to the Company's sole and overniting discretion to commence litigation proceedings in the courts of Tawan or the courts of any other country as the Company may choose. The parties may agree to the appointment of an arbitrator failing which either party may, after having made a written request to concur in the appointment of an arbitrator, request the ROC Arbitration Association to appoint an arbitrator. The place of arbitration shall be in Tawan. There shall only be

