



Centre Court,
Meridian Business Park, Leicester
LE19 1WD, United Kingdom

Tel: +44 (0) 116 263 0330
Fax: +44 (0) 116 263 0311/12
Web: www.intertek.com/consumergoods

Test Report

Number: H-208005
(HKGH02169882)

Applicant: ZITELNY INDUSTRIES LTD
EDUSHAPE TOY DIVISION
9 AMAL ST ROSH HA'AYIN 48091
P O BOX 11788

Date: Aug 01, 2017

ISRAEL
ATTN: MR. N.M. SHUM/ ADRIANA ZITELNY

Submitted sample said to be :
Item Name : **SENSORY SHAPES'N BALLS- TRANSPARENT, GLOW IN THE DARK AND SOLID COLORS**
Item No. : **705199, 705373, 705393, 701175, 701176, 701177, 701101, 701174, 701179, 705101, 705174, 705175, 705176, 705177, 705178, 705179, 705183, 705185, 705191, 705194, 705377, 715176, 715174, 373020, 373021, EL135738, MC705174 26200, 9701174**
Quantity : 3 sets
Vendor : Edushape
Country of Origin : China

Prepared and checked by:
For Intertek Testing Services

Hua Siu Ling



Approved for and on behalf of
ITS Testing Services (UK) Ltd

Philip Bullock
Technical Manager



Test Report

Number: H-208005
(HKGH02169882)



Conclusion:
The submitted sample was tested under the following requirements requested by the applicant, subject to the information stated in the remark and attached page(s) for details :

<u>Requirement</u>	<u>Result</u>
(1) EN71-1: 2014 - Mechanical and Physical Properties	Pass
(2) EN71-2 : 2011 + A1 : 2014 - Flammability Test	Pass
(3) EN71-3 : 2013 + A1:2014 - Migration of certain elements	Pass
(4) REACH Regulation (EC) no. 1907/2006, Annex XVII Items 51 & 52 & amendment no. 552/2009 - Phthalates content	Pass

Test Report

Number: H-208005
(HKGH02169882)

(1) Physical and Mechanical Tests

Test Standard : European Standard on Safety of Toys EN71-1:2014

Age group for testing : For Ages over 6 months

The submitted samples were undergone the following abuse tests:	
<u>Clause</u>	<u>Testing Items</u>
8.3	Torque test (0.34 Nm)
8.4.2.1	Tension test (90 N)
8.5	Drop Test (850 mm x 5)
8.7	Impact test (1 kg)
8.8	Compression test (110 N)

<u>Clause</u>	<u>Requirement</u>	<u>Assessment</u>
4	General requirements	
4.1	Material cleanliness	P
4.2	Assembly	NA
4.3	Flexible plastic sheeting	NA
4.4	Toy bags	NA
4.5	Glass	NA
4.6	Expanding Materials	NA
4.7	Edges	P
4.8	Points and Metallic wires	P
4.9	Protruding parts	NA
4.10	Parts moving against each other	NA
4.11	Mouth actuated toys and other toys intended to be put into mouth	NA
4.12	Balloons	NA
4.13	Cords of toy kites and other flying toys	NA
4.14	Enclosures	NA
4.15	Toys intended to bear the mass of a child	NA
4.16	Heavy immobile toys	NA
4.17	Projectiles	NA
4.18	Aquatic toys and inflatable toys	NA
4.19	Percussion caps specifically designed for use in toys and toys using percussion caps	NA
4.20	Acoustics	P
4.21	Toys containing non -electrical heat source	NA
4.22	Small balls	NA
4.23	Magnets	NA
4.24	Yo-yo balls	NA
4.25	Toys attached to food	NA
5	Toys intended for children under 36 months	
5.1	General requirements for toys intended for children under 36 months	P
5.2	Soft-filled toys and soft-filled parts of a toy	NA
5.3	Plastic sheeting	NA
5.4	Cords, chains and electrical cables in toys	NA
5.5	Liquid filled toys	NA
5.6	Speed limitation of electrically driven ride-on toys	NA
5.7	Glass and porcelain	NA
5.8	Shape and size of certain toys	P
5.9	Toys comprising monofilament fibres	NA



Test Report

Number: H-208005
(HKGH02169882)

Clause	Requirement	Assessment
5.10	Small balls	P
5.11	Play figures	NA
5.12	Hemispheric-shaped toys	NA
5.13	Suction cups	NA
5.14	Straps intended to be worn fully or partially around the neck	NA
6	Packaging	NA
7	Warnings, markings and instructions for use	
7.1	General	P
7.2	Toys not intended for children under 36 months	NA
7.3	Latex balloons	NA
7.4	Aquatic toys	NA
7.5	Functional toys	NA
7.6	Hazardous sharp functional edges and points	NA
7.7	Projectiles	NA
7.8	Imitation protective masks and helmets	NA
7.9	Toy kites	NA
7.10	Roller skates, inline skates, skateboards and certain other ride-on toys	NA
7.11	Toys intended to be attached to or strung across a cradle, cot, or perambulator	NA
7.12	Liquid-filled teethingers	NA
7.13	Percussion caps specifically designed for use in toys	NA
7.14	Acoustics	NA
7.15	Toy bicycles	NA
7.16	Toys intended to bear the mass of a child	NA
7.17	Toys comprising monofilament fibres	NA
7.18	Toy scooters	NA
7.19	Rocking horses and similar toys	NA
7.20	Magnetic / electrical experimental sets	NA
7.21	Toys with electrical cables exceeding 300 mm in length	NA
7.22	Toys with cords or chains intended for children of 18 months and over but under 36 months	NA

Abbreviation : P = Pass NA = Not Applicable

Test Report

Number: H-208005
(HKGH02169882)

The submitted samples were undergone the abuse tests for Clause 5.1 in according to 8.3 (Torque test), 8.4 (Tension test), 8.5 (Drop test), 8.7 (Impact test), 8.8 (Compression test) and specific tests for different types of toys whichever applicable.

Below are additional information according to the Toy Safety Directive 2009/48/EC requirement. These information also appears as a note within the EN71 but are not standard requirements and not accredited:

Marking

The manufacturer's and importer's name, registered trade name or registered trade mark, the address and type, batch, serial or model number or other element allowing their identification shall be indicated on the product itself. In addition, toys or packagings shall also bear the CE-marking. After checking, it was found that

	Toy	Packaging
Manufacturer's name	Absent	Present
Manufacturer's address	Absent	Present
Importer's name	Absent	Absent
Importer's address	Absent	Absent
Product identification code	Present	Present
CE-marking	Absent	Present

Cleaning instruction

A toy intended for use by children under 36 months must be designed and manufactured in such a way that it can be cleaned. The toy shall fulfill the safety requirements also after having been cleaned in accordance with this point and the manufacturer's instructions. The manufacturer should, if applicable, provided instructions on how the toy has to be cleaned.

After checking, the cleaning instruction was not found on the submitted samples.

Date sample received : Jul 20, 2017
Test Period : Jul 20, 2017 to Jul 25, 2017

(2) **Flammability Test**

Test Standard : European Standard on Safety of Toys EN71-2 : 2011 + A1 : 2014

Clause	Requirement	Assessment
4.1	General	P
4.2	Toys to be worn on the head	NA
4.3	Toy disguise costumes and toys intended to be worn by a child in play	NA
4.4	Toys intended to be entered by a child	NA
4.5	Soft filled toys	NA

Abbreviation : P = Pass NA = Not Applicable

Date sample received : Jul 20, 2017
Test Period : Jul 20, 2017 to Jul 25, 2017

Test Report

Number: H-208005
(HKGH02169882)

(3) 19 Toxic Element Migration Test

Test Standard : EN71-3:2013 + A1:2014

Category (III): Scraped-off toy material:

	Result (mg/kg)			Limit (mg/kg)
	(3)	(4)	(5)	
Soluble Aluminium (Al)	<300	<300	<300	70000
Soluble Antimony (Sb)	<10	<10	<10	560
Soluble Arsenic (As)	<10	<10	<10	47
Soluble Barium (Ba)	<10	<10	<10	18750
Soluble Boron (B)	<50	<50	<50	15000
Soluble Cadmium (Cd)	<5	<5	<5	17
Soluble Chromium (III) (Cr III) ++	<10	<10	<10	460
Soluble Chromium (VI) (Cr VI) ++	<0.1	<0.1	<0.1	0.2
Soluble Cobalt (Co)	<10	<10	<10	130
Soluble Copper (Cu)	<10	<10	<10	7700
Soluble Lead (Pb)	<10	<10	<10	160
Soluble Manganese (Mn)	<10	<10	<10	15000
Soluble Mercury (Hg)	<10	<10	<10	94
Soluble Nickel (Ni)	<10	<10	<10	930
Soluble Selenium (Se)	<10	<10	<10	460
Soluble Strontium (Sr)	<100	<100	<100	56000
Soluble Tin (Sn)	<10	<10	<10	180000
Soluble Organic tin ++	<2.0	<2.0	<2.0	12
Soluble Zinc (Zn)	<100	<100	<100	46000



Test Report

Number: H-208005
(HKGH02169882)

	Result (mg/kg)			Limit (mg/kg)
	(6)	(7)	(8)	
Soluble Aluminium (Al)	<300	<300	<300	70000
Soluble Antimony (Sb)	<10	<10	<10	560
Soluble Arsenic (As)	<10	<10	<10	47
Soluble Barium (Ba)	<10	<10	<10	18750
Soluble Boron (B)	<50	<50	<50	15000
Soluble Cadmium (Cd)	<5	<5	<5	17
Soluble Chromium (III) (Cr III) ++	<10	<10	<10	460
Soluble Chromium (VI) (Cr VI) ++	<0.1	<0.1	<0.1	0.2
Soluble Cobalt (Co)	<10	<10	<10	130
Soluble Copper (Cu)	<10	<10	<10	7700
Soluble Lead (Pb)	<10	<10	<10	160
Soluble Manganese (Mn)	<10	<10	<10	15000
Soluble Mercury (Hg)	<10	<10	<10	94
Soluble Nickel (Ni)	<10	<10	<10	930
Soluble Selenium (Se)	<10	<10	<10	460
Soluble Strontium (Sr)	<100	<100	<100	56000
Soluble Tin (Sn)	<10	<10	<10	180000
Soluble Organic tin ++	<2.0	<2.0	<2.0	12
Soluble Zinc (Zn)	<100	<100	<100	46000

	Result (mg/kg)			Limit (mg/kg)
	(9)	(10)	(11)	
Soluble Aluminium (Al)	<300	<300	<300	70000
Soluble Antimony (Sb)	<10	<10	<10	560
Soluble Arsenic (As)	<10	<10	<10	47
Soluble Barium (Ba)	<10	<10	<10	18750
Soluble Boron (B)	<50	<50	<50	15000
Soluble Cadmium (Cd)	<5	<5	<5	17
Soluble Chromium (III) (Cr III) ++	<10	<10	<10	460
Soluble Chromium (VI) (Cr VI) ++	<0.1	<0.1	<0.1	0.2
Soluble Cobalt (Co)	<10	<10	<10	130
Soluble Copper (Cu)	<10	<10	<10	7700
Soluble Lead (Pb)	<10	<10	<10	160
Soluble Manganese (Mn)	<10	<10	<10	15000
Soluble Mercury (Hg)	<10	<10	<10	94
Soluble Nickel (Ni)	<10	<10	<10	930
Soluble Selenium (Se)	<10	<10	<10	460
Soluble Strontium (Sr)	<100	<100	<100	56000
Soluble Tin (Sn)	<10	<10	<10	180000
Soluble Organic tin ++	<2.0	<2.0	<2.0	12
Soluble Zinc (Zn)	<100	<100	<100	46000



Test Report

Number: H-208005
(HKGH02169882)

	Result (mg/kg)			Limit (mg/kg)
	(12)	(13)	(14)	
Soluble Aluminium (Al)	<300	<300	<300	70000
Soluble Antimony (Sb)	<10	<10	<10	560
Soluble Arsenic (As)	<10	<10	<10	47
Soluble Barium (Ba)	<10	<10	<10	18750
Soluble Boron (B)	<50	<50	<50	15000
Soluble Cadmium (Cd)	<5	<5	<5	17
Soluble Chromium (III) (Cr III) ++	<10	<10	<10	460
Soluble Chromium (VI) (Cr VI) ++	<0.1	<0.1	<0.1	0.2
Soluble Cobalt (Co)	<10	<10	<10	130
Soluble Copper (Cu)	<10	<10	<10	7700
Soluble Lead (Pb)	<10	<10	<10	160
Soluble Manganese (Mn)	<10	<10	<10	15000
Soluble Mercury (Hg)	<10	<10	<10	94
Soluble Nickel (Ni)	<10	<10	<10	930
Soluble Selenium (Se)	<10	<10	<10	460
Soluble Strontium (Sr)	<100	<100	<100	56000
Soluble Tin (Sn)	<10	<10	<10	180000
Soluble Organic tin ++	<2.0	<2.0	<2.0	12
Soluble Zinc (Zn)	<100	<100	<100	46000

	Result (mg/kg)			Limit (mg/kg)
	(15)	(16)	(17)	
Soluble Aluminium (Al)	<300	<300	<300	70000
Soluble Antimony (Sb)	<10	<10	<10	560
Soluble Arsenic (As)	<10	<10	<10	47
Soluble Barium (Ba)	<10	<10	<10	18750
Soluble Boron (B)	<50	<50	<50	15000
Soluble Cadmium (Cd)	<5	<5	<5	17
Soluble Chromium (III) (Cr III) ++	<10	<10	<10	460
Soluble Chromium (VI) (Cr VI) ++	<0.1	<0.1	<0.1	0.2
Soluble Cobalt (Co)	<10	<10	<10	130
Soluble Copper (Cu)	<10	<10	<10	7700
Soluble Lead (Pb)	<10	<10	<10	160
Soluble Manganese (Mn)	<10	<10	<10	15000
Soluble Mercury (Hg)	<10	<10	<10	94
Soluble Nickel (Ni)	<10	<10	<10	930
Soluble Selenium (Se)	<10	<10	<10	460
Soluble Strontium (Sr)	<100	<100	<100	56000
Soluble Tin (Sn)	<10	<10	<10	180000
Soluble Organic tin ++	<2.0	<2.0	<2.0	12
Soluble Zinc (Zn)	<100	<100	<100	46000



Test Report

Number: H-208005
(HKGH02169882)

	Result (mg/kg)	Limit (mg/kg)
	(18)	
Soluble Aluminium (Al)	<300	70000
Soluble Antimony (Sb)	<10	560
Soluble Arsenic (As)	<10	47
Soluble Barium (Ba)	<10	18750
Soluble Boron (B)	<50	15000
Soluble Cadmium (Cd)	<5	17
Soluble Chromium (III) (Cr III) ++	<10	460
Soluble Chromium (VI) (Cr VI) ++	<0.1	0.2
Soluble Cobalt (Co)	<10	130
Soluble Copper (Cu)	<10	7700
Soluble Lead (Pb)	<10	160
Soluble Manganese (Mn)	<10	15000
Soluble Mercury (Hg)	<10	94
Soluble Nickel (Ni)	<10	930
Soluble Selenium (Se)	<10	460
Soluble Strontium (Sr)	<100	56000
Soluble Tin (Sn)	<10	180000
Soluble Organic tin ++	<2.0	12
Soluble Zinc (Zn)	<100	46000

mg/kg = milligram per kilogram

++ : Unless the test results were marked with "^" or "Δ", Chromium (III) & Chromium (VI) and Organic tin contents were not directly determined and were derived from migration results of total chromium and tin respectively.

Organic tin test result was expressed as tributyl tin.

The new lead migration limit [(2.0mg/kg for Category (I), 0.5mg/kg for category (II) and 23 mg/kg for Category (III)] was quoted from directive (EU) 2017/738 amending 2009/48/EC effective from 28 October 2018.

@ : Since the sample weight of the component was less than 10 mg, soluble heavy metal analysis was not applicable.

Test Report

Number: H-208005
(HKGH02169882)

Tested Components:

- (1) @ Coatings (orange, black, deep red, green) on plastic (logo, code of all styles).
- (2) @ White coating on plastic (logo of transparent pale blue style).
- (3) Translucent red plastic (body of all translucent red styles).
- (4) Translucent yellow plastic (body of all translucent yellow styles).
- (5) Translucent green plastic (body of all translucent green styles).
- (6) Translucent blue plastic (body of all translucent blue styles).
- (7) Red plastic (body of all red styles).
- (8) Yellow plastic (body of all yellow styles).
- (9) Green plastic (body of all green styles).
- (10) Blue plastic (body of all blue styles).
- (11) Purple plastic (body of purple style).
- (12) Aqua plastic (body of aqua style).
- (13) Translucent beige plastic (body of translucent beige style).
- (14) Pale green plastic (body of pale green style).
- (15) Transparent pale blue plastic (body of transparent pale blue style).
- (16) Transparent plastic (valves of all style).
- (17) Dull beige plastic (stopper of pale green style).
- (18) Transparent light yellow plastic (stopper of transparent pale blue style).

Date sample received : Jul 20, 2017
Test Period : Jul 20, 2017 to Jul 26, 2017

Test Report

Number: H-208005
(HKGH02169882)

(4) Phthalate Content Test

Test Method : EN14372, by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

Six Phthalate content:

Compounds	Result (% w/w)			Limit (% w/w)
	(1)	(2/3/4)	(5/6/7)	
Dibutyl phthalate (DBP)	<0.01	<0.01	<0.01	--
Diethyl hexyl phthalate (DEHP)	<0.01	<0.01	<0.01	--
Benzyl butyl phthalate (BBP)	<0.01	<0.01	<0.01	--
Sum of DBP,DEHP & BBP	<0.01	<0.01	<0.01	0.1
Diisononyl phthalate (DINP)	<0.01	<0.01	<0.01	--
Di-n-octyl phthalate (DnOP)	<0.01	<0.01	<0.01	--
Diisodecyl phthalate (DIDP)	<0.01	<0.01	<0.01	--
Sum of DINP,DnOP & DIDP	<0.01	<0.01	<0.01	0.1

Compounds	Result (% w/w)			Limit (% w/w)
	(8/9)	(10/11)	(12/13/14)	
Dibutyl phthalate (DBP)	<0.01	<0.01	<0.01	--
Diethyl hexyl phthalate (DEHP)	<0.01	<0.01	<0.01	--
Benzyl butyl phthalate (BBP)	<0.01	<0.01	<0.01	--
Sum of DBP,DEHP & BBP	<0.01	<0.01	<0.01	0.1
Diisononyl phthalate (DINP)	<0.01	<0.01	<0.01	--
Di-n-octyl phthalate (DnOP)	<0.01	<0.01	<0.01	--
Diisodecyl phthalate (DIDP)	<0.01	<0.01	<0.01	--
Sum of DINP,DnOP & DIDP	<0.01	<0.01	<0.01	0.1

Compounds	Result (% w/w)			Limit (% w/w)
	(15/16/17)			
Dibutyl phthalate (DBP)	<0.01			--
Diethyl hexyl phthalate (DEHP)	<0.01			--
Benzyl butyl phthalate (BBP)	<0.01			--
Sum of DBP,DEHP & BBP	<0.01			0.1
Diisononyl phthalate (DINP)	<0.01			--
Di-n-octyl phthalate (DnOP)	<0.01			--
Diisodecyl phthalate (DIDP)	<0.01			--
Sum of DINP,DnOP & DIDP	<0.01			0.1



Test Report

Number: H-208005
(HKGH02169882)

Three Phthalate content:

Compounds	Result (% w/w)		Limit (% w/w)
	(18/19/20)	(21/22)	
Dibutyl phthalate (DBP)	<0.01	<0.01	--
Diethyl hexyl phthalate (DEHP)	<0.01	<0.01	--
Benzyl butyl phthalate (BBP)	<0.01	<0.01	--
Sum of DBP,DEHP & BBP	<0.01	<0.01	0.1

The above limit was quoted according to Annex XVII Items 51 & 52 of the REACH Regulation (EC) no. 1907/2006 & amendment no. 552/2009 for phthalate content in toys and childcare articles.

Test Report

Number: H-208005
(HKGH02169882)

Tested Components:

- (1) Coatings (orange, black, deep red, green, white) on plastic (logo, code of all styles).
- (2) Translucent red plastic (body of all translucent red styles).
- (3) Translucent yellow plastic (body of all translucent yellow styles).
- (4) Translucent green plastic (body of all translucent green styles).
- (5) Translucent blue plastic (body of all translucent blue styles).
- (6) Red plastic (body of all red styles).
- (7) Yellow plastic (body of all yellow styles).
- (8) Green plastic (body of all green styles).
- (9) Blue plastic (body of all blue styles).
- (10) Purple plastic (body of purple style).
- (11) Aqua plastic (body of aqua style).
- (12) Translucent beige plastic (body of translucent beige style).
- (13) Pale green plastic (body of pale green style).
- (14) Transparent pale blue plastic (body of transparent pale blue style).
- (15) Transparent plastic (valves of all style).
- (16) Dull beige plastic (stopper of pale green style).
- (17) Transparent light yellow plastic (stopper of transparent pale blue style).
- (18) Dull white plastic (stopper of all translucent red styles, all translucent yellow styles, all translucent green styles, all translucent blue styles, all red styles, all yellow styles, all green styles, all blue styles, pale red style, pale yellow style, purple style, aqua style, translucent beige style, transparent pale blue style) (internal).
- (19) Deep red plastic (beads of transparent pale blue style) (internal).
- (20) Deep orange plastic (beads of transparent pale blue style) (internal).
- (21) Light green plastic (beads of transparent pale blue style) (internal).
- (22) Dark blue plastic (beads of transparent pale blue style) (internal).

Date sample received : Jul 20, 2017
Test Period : Jul 20, 2017 to Jul 26, 2017

End of report

“The items were tested by Intertek Testing Services Hong Kong Ltd., for and on behalf of ITS Testing Services (UK) Ltd.”

This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct.

